

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name : BENZALDEHYDE

Synonyms	:	Benzoic aldehyde, Benzene Carboxaldehyde	
Uses	:	In the Chemical, Fragrance and flavoring agent, agro chemical, Pharmaceutical	
Supplier	:	Sanghvi Organics P. Ltd	
		Plot No. 3516	
		Panoli (Gujarat)	
Telephone Number	:	02646- 272276	
2. HAZARDS IDENTIFICATION			

Pictogram

Signal word warning

Potential Health Effects

Inhalation

May cause irritation to the respiratory tract. Coughing, sore throat, labored breathing, and chest pain. High concentration have a narcotic effect.

Ingestion

May cause sore throat, abdominal pain, nausea, central nervous system depression, convulsions, and respiratory failure, Estimated lethal dose 2 ounces.

Skin Contact

May cause irritation with redness and pain. May cause allergic skin reactions. May have a local anesthetic effect.

Eye Contact

May cause irritation, redness and pain

Chronic Exposure

Chronic exposure may cause skin effects.

H227	Combustible liquid
H302 + H312 + H332	Harmful if swallowed in contact with skin or if inhealed.
H315	Causes skin irritation.
H315+ H320	Causes skin and eye irritation.



CIN No : U24117GJ1994PTC023109 Tele-Fax : +91-22-22017595 / 7124 Email : ho@sopl.co.in Website : www.sopl.co.in

SANGHVI ORGANICS PVT. LTD

Mfrs of ORGANIC CHEMICALS

Admn. Office : Plot No. 24, D. Dharmesh Mansion, Kalbadevi Road, Bhangwadi, Kalbadevi, Mumbai 400 002.

Regd. Off. & Factory : Plot No. 3516, Phase III, G. I. D. C. Panoli, Dist. BHARUCH, GUJRAT - 394 116, (INDIA)

H317	May cause an allergic skin reaction.
H319	Causes serious irritation.
H335	My cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with ling lasting effects.
Precautionary Statement	very toxic to aquatic fire with fing lasting creets.
Prevention	
P210	Keep away from heat/sparks/open flames/hot surface. No smoking.
P261	Avoid breathing mist or vapor.
P264	wash thoroughly after handling.
P270	do not eat, drink or smoke when using this product.
P271	use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	avoid release to the environment.
P280	Wear protective gloves/protective clothing.
Response	
P301 + P312	IF SWALLOWED: Call a POSION CENTER/doctor if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if \
P338	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire : Use appropriate media to extinguish.
P391	Collect spillage.
Storage	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/International
regulations.	
-	



3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula:C7H6OMolecular weight:106.12g/mol

Components	CAS Number	Concentration	Hazard Codes
Benzaldehyde	100-52-7	100%	H227,302,401

4. FIRST AID MEASURES

If inhaled

Remove victim from area of exposure. Avoid becoming a casually, remove contaminated clothing and loosen remaining clothing Allow patient to assume most comfortable position and keep warm. Seek medical advice if effects persist In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion

Rinse mouth with water. If swallowed, give a glass of water to drink. Do not induce vomiting. Seek immediate medical assistance.

5. FIRE FIGHTING MEASURES

Fire

Flash Point64°CAuto ignition Temperature192°C(378F)Flammable limits in air% by volume: lel: 1.4 CoumbstibleSpecific hazards arising from the substance or mixtureCombustible liquid

Precautions for fire fighters and special protective equipment.

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

Suitable extinguishing media Normal foam, dry agent(Carbon dioxide, dry chemical powder)



Regd. Off. & Factory : Plot No. 3516, Phase III, G. I. D. C. Panoli, Dist. BHARUCH, GUJRAT - 394 116, (INDIA)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedure

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor.

Environmental precaution

Prevent further leakage or spillage if safe to do so. Do not let product enter drains, Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent materials (soil, sand or other inert material) and dispose of as hazardous waste. Keep in suitable closed containers for disposal.

7. HANDLING AND STORAGE

Conditions for safe storage

Store in a cool, dry, well ventilated place and out of direct sunlight & ignition. Store away from incompatible materials . store away from sources of h eat or ignition. Store under nitrogen. Keep containers closed when not in use.

Precautions for safe handling

Avoid skin and eye contact and breathing in vapour. Take precautionary measures against static discharges.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:

Use in well ventilated areas. If inhalation risk exists. Use with local exhaust ventilation or white wearing organic vapour respirator. Vapour heavier than air prevent concentration in hollows or sumps. Do not enter confined spaces where vapour may have collected. keep containers closed when not in use.

Personal Protective Equipment:

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Wear overalls, safety glasses and impervious gloves. Use with adequate ventilation. Always wash hands before smoking ,eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or reuse.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Colour	:	Colourless to Yellowish
Odour	:	Bitter Almond
Odour Threshold	:	0.045 ppm
Solubility	:	immiscible with water
Specific Gravity	:	1.043
Relative Vapor density	:	3.65
Vapour Pressure(20°C)	:	0.1kpa
Flash Point (^o C)	:	63.9
Autoignition Temperature	:	192
Solubility in water(g/l)	:	40@ 20ºC
Boiling point	:	178°C
Freezing Point	:	-56

10. STABILITY AND REACTIVITY

Reactivity	:	Oxidise readily by air to benzoic acid.
Chemical stability	:	Stable under normal condition of use.
Conditions to avoid	:	Avoid exposure to heat, light, sources of ignition, and open flame. Avoid
		Exposure to air.
Incompatible materials	:	Incompatible with strong oxidizing agents, aluminium, and iron, bronze, oxygen
		alkali metals.
Hazardous decomposition	:	Oxides of carbon, Peroxides, Benzoic acid

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms of effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion	:	Swallowing can result in nausea. Vomiting, diarrhea, and abdominal pain.
Eye contact	:	May be an eye irritant.
Inhalation	:	Breathing in vapour can result in headaches, dizziness, drowsiness, and
		Possible nausea. Inhalation of concentrated vapours may irritate the nose and
		Throat and may produce central nervous system depression with possible
		Respiratory failure.
Toxicological Data	:	Oral LD50 (rat) : 1300mg/kg
		Dermal LD50(rabbit):1250mg/kg



15. REGULATORY INFORMATION

Hazard Category	:	Xn: Harmful
Risk Phrase(s) Safety Phrase(S)	:	R20/22 : Harmful by inhalation and if swallowed. S24/25: Avoid contact with skin and eyes
		 S24/25: Avoid contact with skin and eyes S26: In case of contact with eyes, rinse immediately with plenty of water and Seek medical advice. S37/39: Wear suitable gloves and eye/face protection S38: In case of insufficient ventilation, wear suitable respiratory equipment. S45: In case of accident or if you feel unwell, seek medical advice immediately.



16 OTHER INFORMATION

NFPA Hazard ID

Health Hazard: 2Fire Hazard: 2Reactivity Hazard: 0Hazard rating : 0- Minimal; 1 - Slight; 2- Moderate ; 3 - Serious ;4 - Severe

This SDS summarises to our best knowledge, The Chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace.